




**Fantastic
Furniture**

Version 1.0



ELKE

CHAIR 1 STR WALNUT

fantasticfurniture.com.au

CAUTION:

Do not stand on, or use this product as a step ladder.
Use this product for seating one person at a time.
This product should be checked periodically to ensure all
components are secure and all hardware is tight.

RECOMMENDED WEIGHT CAPACITY 120 KG

Looks like you've found your Fantastic!

We're thrilled you've chosen Fantastic Furniture
to help create a home you'll love!



Fantastic Furniture

Love it? Share it!

Fantastic buy! Share how it looks at home on Instagram for
your chance to win a \$250 Fantastic Furniture Gift Card!

@fantasticfurniture



**Fantastic
Furniture**

Assembly checklist




Read through the instructions carefully before you begin.



Make sure you have all the required tools. Never use power tools unless instructed.



Identify and lay out all the components before you begin assembly.



Unless instructed, do not fully tighten screws until the item is fully assembled.

Useful information

! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.

! The most common mistakes made during assembly are using the wrong hardware or getting components back to front.

! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product.

! Bulky items such as wardrobes and bunk beds should be assembled in the room they will be used in as they may not fit through a door once assembled.

! Never use any glue until you are certain that the parts belong together.

! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.

! If you are having any difficulties assembling your product, missing any hardware or components please visit our website Help Centre for further assistance.


! Please see page 2 for any safety requirements or weight restrictions.

What you need

to assemble the product



DO NOT USE




Parts list.

Back Rest (P1);
Leg Frame (Left) (P2);
Leg Frame (Right) (P3);
Long Corner Block (P4);
Short Corner Block (P5);
Seat Cushion (P6);
Cross Rail (P7);


Hardware Pack.




1 x Allen Key
(H1)




4 x 60mm Bolt
(H2)



2 x 50mm Bolt
(H3)



8 x 35mm Bolt
(H4)




4 x 30mm Bolt
(H5)




14 x Spring
Washer
(H6)



14 x Flat
Washer
(H7)



1 x Long Screw
(H8)






1 x Short Wood
Bolt
(H9)



4 x Wood
Button (H10)

Step 1



You will need	
	
1 x Allen Key (H1)	1 x Long Screw (H8)




ENSURE BOLT HOLES ARE FACING EACH OTHER IN FRONT AND BACK CORNERS, NOT FACING THE SIDES OF CHAIR.

Attach Leg Frame (Right) (P3) to Leg Frame (Left) (P2) using 1 x Long Screw (H8) by using Allen Key (H1).
DO NOT FULLY TIGHTEN ANY BOLTS OR SCREWS UNTIL STEP 8.

Step 2





You will need	
	
1 x Allen Key (H1)	4 x 60mm Bolt (H2)




CORRECT POSITION OF BOLT HOLES AT BACK OF CHAIR.

Attach Seat Cushion (P6) to Leg Frame (P2) & (P3) using 4 x 60mm Bolt (H2) by using Allen Key (H1).
DO NOT FULLY TIGHTEN ANY BOLTS OR SCREWS UNTIL STEP 8.
fantasticfurniture.com.au





Step 3


You will need	
	
1 x Allen Key (H1)	4 x 35mm Bolt (H4)
	
4 x Spring Washer (H6)	4 x Flat Washer (H7)



Attach Short Corner Block (P5) to leg Frame (P2) & (P3) using 4 x Spring Washer (H6), 4 x Flat Washer (H7) and 4 x 35mm Bolt (H4) by using Allen Key (H1).
DO NOT FULLY TIGHTEN ANY BOLTS OR SCREWS UNTIL STEP 8.

Step 4





You will need	
	
1 x Allen Key (H1)	4 x 35mm Bolt (H4)
	
4 x Spring Washer (H6)	4 x Flat Washer (H7)




Attach Long Corner Block (P4) to Leg Frame (P2) & (P3) using 4 x Spring Washer (H6), 4 x Flat Washer (H7) and 4 x 35mm Bolt (H4) by using Allen Key (H1).
DO NOT FULLY TIGHTEN ANY BOLTS OR SCREWS UNTIL STEP 8.

fantasticfurniture.com.au



Step 5


You will need	
	
1 x Allen Key (H1)	2 x 50mm Bolt (H3)
	
2 x Spring Washer (H6)	2 x Flat Washer (H7)



Attach Cross Rail (P7) to Leg Frame (Right) (P3) using 2 x 50mm Bolt (H3), 2 x Spring Washer (H6) and 2 x Flat Washer (H7) by using Allen Key (H1).
DO NOT FULLY TIGHTEN ANY BOLTS OR SCREWS UNTIL STEP 8.





Step 6


You will need	
	
1 x Allen Key (H1)	1 x Short Wood Bolt (H9)



Secure Cross Rail (P7) using 1 x Short Wood Bolt (H9).
DO NOT FULLY TIGHTEN ANY BOLTS OR SCREWS UNTIL STEP 8.

Step 7


You will need	
	
1 x Allen Key (H1)	4 x 30mm Bolt (H5)
	
4 x Spring Washer (H6)	4 x Flat Washer (H7)




(Turn Chair upright)


Attach Back Rest (P1) to Leg Frame (P2) & (P3) using 4 x Flat Washer (H7), 4 x Spring Washer (H6), and 4 x 30mm Bolt (H5) by using Allen Key (H1).
DO NOT FULLY TIGHTEN ANY BOLTS OR SCREWS UNTIL STEP 8.

Step 8

You will need

4 x Wood Button (H10)



Place chair on a flat surface and press the seat to level the legs. Tighten all screws and bolts. Attach 4 X Wood Button (H10) to Leg Frame (P2) & (P3) by pushing into hole firmly.




Job complete!

In the interest of our environment please
dispose of all packaging thoughtfully.



**Fantastic
Furniture**

Version 1.0



TWO PEOPLE



REQUIRED

Hamilton

Table D6 Extension

fantasticfurniture.com.au

Recommended weight capacity : 30kg on top.

Looks like you've found your Fantastic!

We're thrilled you've chosen Fantastic Furniture
to help create a home you'll love!



Fantastic Furniture

Love it? Share it!


Fantastic buy! Share how it looks at home on Instagram for
your chance to win a \$250 Fantastic Furniture Gift Card!

@fantasticfurniture


Assembly Checklist




Read through the instructions carefully before you begin.



Make sure you have all the required tools.
Never use power tools unless instructed.



Identify and lay out all of the components before you begin assembly.



Unless instructed, do not fully tighten screws until the item is fully assembled.

Useful Information

- ! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.
- ! The most common mistakes made during assembly are using the wrong hardware or getting components back to front.
- ! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product.
- ! Bulky items such as wardrobes and bunk beds should be assembled in the room they will be used in as they may not fit through a door once assembled.
- ! Never use any glue until you are certain that the parts belong together.
- ! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.
- ! If you are having any difficulties assembling your product, missing any hardware or components please visit our website Help Centre for further assistance.
- ! Please see page 2 for any safety requirements or weight restrictions.

What you need

to assemble the product




DO NOT USE




Other tools you need:
Phillips head screwdriver

Parts list




Top Panel (P1);
Top Panel (P2)
2 x Rails (P3)
4 x Legs (P4);
2 x Side Panels (P5);
4 x Blocks (P6);
Rails (P7);
Rail (P8);
Rail (P9);
Scab (P10);
Scab (P11)




Hardware pack





Step 1


You will need	
	
6 x Screws (H13)	4 x Dowels (H9)
	
Phillips Head Screwdriver	



Attach Rails (P9x2) to Rails (P8x2) with 4 x Dowels (H9) and secure with 6 x Screws (H13). Tightening with the Phillips Head Screwdriver.




Step 2

You will need	
	
8 x Cam Bolts (H11)	Phillips Head Screwdriver




Attach 8 x Cam Bolts (H11) to Side Panels (P5) by tightening with the Phillips Head Screwdriver.


Step 3

You will need	
	
4 x Dowels (H9)	4 x Cam Nuts (H12)
	
Phillips Head Screwdriver	

This is how a cam nut works.....







The head of the cam bolt goes into the open mouth of the cam nut. You then turn the cam nut so it tightens over the bolt.



Insert 4 x Dowels (H9) into Side Panel (P5). Insert 4 x Cam Nuts (H12) into the holes of Rails (P8x2 & P9x2). Rotate the cam nuts so the arrow points towards the incoming cam bolts. Attach Rails (P8x2 & P9x2) to Side Panel (P5) by tightening the Cam Nuts (H12) with the Phillips Head Screwdriver.



Step 4


You will need	
	
4 x Dowels (H9)	4 x Cam Nuts (H12)
	
Phillips Head Screwdriver	



Insert 4 x Dowels (H9) into Side Panel (P5). Insert 4 x Cam Nuts (H12) into the holes of Rails (P8x2 & P9x2). Rotate the cam nuts so the arrow points towards the incoming cam bolts. Attach Rails (P8x2 & P9x2) to Side Panel (P5) by tightening the Cam Nuts (H12) with the Phillips Head Screwdriver.



Step 5


You will need	
	
12 x Screws (H10)	Phillips Head Screwdriver



Attach Blocks (P6x4) to Side Panels (P5x2) with 12 x Screws (H10) by tightening with the Phillips Head Screwdriver.




Step 6


You will need	
	
12 x Screws (H10)	Phillips Head Screwdriver



Attach Rails (P3x2) to Blocks (P6x4) with 12 x Screws (H10) by tightening with the Phillips Head Screwdriver.


Step 7

You will need	
	
2 x Brackets (H8)	8 x Screws (H14)
	
Phillips Head Screwdriver	





Attach 2 x Barckets (H8) to Scab (P10&P11) with 8 x Screws (H14) by tightening with the Phillips Head Screwdriver.


Step 8



Lay table tops down on a soft surface to not scratch the finish. Attach Top Panel (P1&P2) and Scab (P10&P11) together.


Step 9

You will need	
	
8 x Small Bolts (H7)	1 x Allen Key (H5)




Push down the Locker,
So that the brackets on
runner can be moveable

TWO PEOPLE








REQUIRED



Push down the lockeron runner. Attach runner to Top Panels (P1&P2) with 8 x Small Bolts (H7) by tightening with the 1 x Allen Key (H5). Well align eight Bolts (H7) before fully tighten.





Step 10


You will need	
	
2 x Brackets (H3)	10 x Small Screws (H4)
	
Phillips Head Screwdriver	



Attach 2 x Brackets (H3) to Scab (P11) and Rails (P8x2) with 10 x Small Screws (H4) by tightening with the Phillips Head Screwdriver.


Step 11

You will need	
	
8 x Bolts (H1)	8 x Washer (H2)
	
1 x Allen Key (H15)	8 x Washer (H6)





Attach Legs (P4 x 4) to Apron Frame (P6 x 4) with 8 x Washers (H2), 8 x Washers (H6) and 8 x Bolts (H1) by tightening with 1 x Allen Key (H15).


Step 12




Pull the left and right table tops outwards, turn up the middle top.

Step 13

You will need	
	
2 x Screws (H10)	Phillips Head Screwdriver




Attach Rails (P7) to Rails (P9x2) with 2 x Screws (H10) by tightening with the Phillips Head Screwdriver.






Job Complete!

In the interest of our environment please dispose of all packaging thoughtfully.


How to close the table



Push up the locker to allow the runner can be extended .




Press down the locker to fix the runner.






Push up the lockers on two runners, pull left and right table tops outwards, turn down the middle top, close left and right table tops, Press down the lockers to lock the runners.


How to extend the table



Push up the locker to allow the runner can be extended .



Press down the locker to fix the runner.



Push up the lockers on two runners, pull the left and right table tops outwards, turn up the middle top and insert it into the left and right table tops, Press down the lockers to lock the runners.