




Version 1.0



CHARLESTON

BAR STOOL

www.fantasticfurniture.com.au

CAUTION:

Do not stand on, or use this product as a step ladder.
Use this product for seating one person at a time.
This product should be checked periodically to ensure all
components are secure and all hardware is tight.

RECOMMENDED WEIGHT CAPACITY 120 KG

Enjoy


Your purchase from
Australia's Best Value Furniture Store




Assembly checklist




Read through the instructions carefully before you begin.



Make sure you have all the required tools. Never use power tools unless instructed.



Identify and lay out all of the components before you begin assembly.



Unless instructed, do not fully tighten screws until the item is fully assembled.

Useful Information

- ! Please see page 2 for any safety requirements or weight restrictions.
- ! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.
- ! The most common mistakes made during assembly are using the wrong hardware or getting components back to front.
- ! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product.
- ! Bulky items such as wardrobes and bunk beds should be assembled in the room they will be used in as they may not fit through a door once assembled.
- ! Never use any glue until you are certain that the parts belong together.
- ! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.
- ! If you are having any difficulties assembling your product, missing any hardware or components please visit our website Help Centre for further assistance.

What you need

to assemble the product



DO NOT USE

Other tools you need

N/A

Parts list



Box 1: Seat (P1) x 1

POST REST(P2)X1

GAS LIFT (P3)X1

COVER RING(P4)X1

BASE(P5)X1




4xBolts
(H1)



Allen Key



Step 1


✗ Please pull out the sheath before using



Insert Gas lift (P3) through cover ring(P4) into the base (P5).


Step 2

You will need	
	
4 x Bolts (H1)	Allen Key




Attach post rest (P2) to the Seat (P1) with 4xbolts (H1).

Step 3



place post rest over Gas lift



Job Complete!

In the interest of our environment please dispose of all packaging thoughtfully.