


Version 1.0





Torkay

Bed Double White Walnut

fantasticfurniture.com.au

Looks like you've found your Fantastic!

We're thrilled you've chosen Fantastic Furniture to help create a home you'll love!



Love it? Share it!

Fantastic buy! Share how it looks at home on Instagram for your chance to win a \$250 Fantastic Furniture Gift Card!

@fantasticfurniture



Assembly checklist



Read through the instructions carefully before you begin.



Make sure you have all the required tools. Never use power tools unless instructed.





Identify and lay out all of the components Unless instructed, do not fully tighten screws before you begin assembly. until the item is fully assembled.


Useful Information

- ! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.
- ! The most common mistakes made during assembly are using the wrong hardware or getting components back to front.
- ! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product.
- ! Bulky items such as wardrobes and bunk bed should be assembled in the room they will be used in as they may not fit through a door once assembled.
- ! Never use any glue until you are certain that the parts belong together.
- ! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.
- ! If you are having any difficulties assembling your product, missing any hardware or components please visit our website Help Centre for further assistance.
- ! Please see page 2 for any safety requirements or weight restrictions.




What you Need

To assemble the product




Step 1



Insert 8 x small wooden dowels (H3) into the headboard core (P1) and headboard rail (P5) as shown.


Attach 6 x cam bolts (H1) to rear screen rail (P2), tightening with a phillips head screwdriver.

Step 2




Insert 8 x large wooden dowels (H10) into the Side Rail (P6) as shown.





Insert $6 \times \text{nuts}$ (H5) into the headboard rail (P5) and headboard core (P1) as shown. Ensure the opening of the nut faces incoming bolts.

Attach the left leg (P3) and right leg (P4) to the headboard core (P1) and headboard rail (P6) by inserting the 6 x long bolts (H4) into the nuts (H5). Tighten the bolts by turning clockwise using allen key (H16).




Fix 2 \times headless bolts (H11) to left leg (P3) and right leg (P4), turn clockwise to lock in position.

Attach 2 x foot pads (H17) to left leg (P3) and right leg (P4).




Step 5



Insert $6 \times 6 \times 6$ into headboard rail (P1), ensuring the opening of the cam nut faces incoming bolts.


Attach rear screen rail (P2) to headboard core (P1) as shown and tighten the cam nuts (H2) by turning clockwise with a phillips head screwdriver.




Fix 2 \times headless bolts (H11) to leg, turn clockwise to lock in position. Attach 2 \times foot pads (H17) to leg.



(H2)




Attach 3 \times centre legs (P9) to the centre rail (P8) using 3 \times washers (H8) and 3 \times large bolts (H7). Tighten the bolts by turning clockwise using large allen key (H15).




With assistance, attach left leg (P3) and footboard (P7) to the side rail (P6), insert $2 \times \text{halfmoon}$ nuts (H12) and $2 \times \text{nuts}$ (H13) into side rail (P6) as shown. Use the wrench (H14) to turn the nuts (H13) clockwise to fix. Repeat process for the other $1 \times \text{side}$ rail (P6).






With assistance, attach the centre rail (P8) to the headboard rail (P5) and footboard (P7) using 4 x small bolts (H6) tightening by turning clockwise using large allen key (H15). You may now fully tighten the bolts attaching the side rails (P6) to the left leg and right leg (P3, P4) and footboard (P7).




With assisance, lay down the set of slats (P10) onto the bed frame. Attach the slats (P10) to the $2 \times \text{side}$ rails (P6) using $8 \times \text{screws}$ (H9), tightening with a phillips head screwdriver.



Step 11





Attach $6 \times PVC$ stickers (H18) to left leg (P3) and right leg (P4).



Job Complete!

In the interest of our environment please dispose of all packing thoughtfully.

