



Version 1.0







Looks like you've found your Fantastic!

We're thrilled you've chosen Fantastic Furniture to help create a home you'll love!



Love it? Share it!

Fantastic buy! Share how it looks at home on Instagram for your chance to win a \$250 Fantastic Furniture Gift Card! @fantasticfurniture


Assembly Checklist



Read through the instructions carefully before you begin.



Make sure you have all the required tools. Never use power tools unless instructed.



Identify and lay out all of the components before you begin assembly.




Unless instructed, do not fully tighten screws until the item is fully assembled.


Useful Information

- ! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.
- ! The most common mistakes made during assembly are using the wrong hardware or getting components back to front.
- ! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product.
- ! Bulky items such as wardrobes and bunk beds should be assembled in the room they will be used in as they may not fit through a door once assembled.
- ! Never use any glue until you are certain that the parts belong together.
- ! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.
- ! If you are having any difficulties assembling your product, missing any hardware or components please visit our website Help Centre for further assistance.
- ! Please see page 2 for any safety requirements or weight restrictions.


What you need

to assemble the product







Insert 6 x nuts (H9) into the holes in rails (P1, P3, P4). Ensure the lines in the nuts (H9) face incoming threaded rods as shown in the image above. Attach 6 x threaded rods (H4) to the 6 x nuts (H9) and hand tighten by turning clockwise.



Insert 2 x dowels (H1) into rail (P2). Attach rails (P3, P4) to rail (P2) and secure using 4 x half round nuts (H3) and 4 x hexagonal nuts (H6), tightening with spanner (H11).



Slide back panel (P5) into the grooves of rails (P2, P3, P4).




Insert 4 x dowels (H1) into rails (P3, P4). Attach rail (P1) to rails (P3, P4) and secure using 2 x half round nuts (H3) and 2 x hexagonal nuts (H6), tightening with spanner (H11). Ensure that back panel (P5) is slotted into rail (P1).

Step 5 You will need 4 x Threaded A x Nuts Rods (H4) H9 H9 (P1) H9 (P10) (P10)


Insert 4 x nuts (H9) into the holes in rails (P1, P9, P10). Ensure the lines in the nuts (H9) face incoming threaded rods as shown in the image above. Attach 4 x threaded rods (H4) to the 4×10^{-5} and hand tighten by turning clockwise.

Step 6




Insert 4 x dowels (H1) into rail (P8). Attach rails (P9, P10) to rail (P8) and secure using 2×10^{-2} x half round nuts (H3) and 2×10^{-2} x half round







Slide back panel (P11) into the grooves of rails (P8, P9, P10).



Insert 4 \times dowels (H1) into rails (P9, P10). Attach rail (P1) to rails (P9, P10) and secure using 2 \times half round nuts (H3) and 2 \times hexagonal nuts (H6), tightening with spanner (H11). Ensure that back panel (P11) is slotted into rail (P1).





Attach 4 x threaded rods (H4) into rails (P9, P10). Attach 2 x plastic glides (H7) to the end of rails (P9, P10) by gently tapping with a hammer. Attach 4 x small hole stickers (H10) to the holes of rails (P1, P9, P10).



Attach 2 x plastic glides (H7) to the end of rails (P3, P4) by gently tapping with a hammer.









Insert 2 x dowels (H1) into 2 x side rails (P6). Push the 4 x hexagonal bolts (H5) through rails (P3, P4). Attach rails (P3, P4) to 2 x side rails (P6), secure using 4 x hexagonal nuts (H6) and 4×1 x half round nuts (H3) with spanner (H11). Tighten 4×1 hexagonal bolts (H5) with allen key (H8).





Attach the 12 x slats (P7) to the 2 x side rails (P6) using $24 \times \text{screws}$ (H2), tightening with a phillips head screwdriver.

Step 14



Cover the holes on rails (P2, P3, P4) using 6 x large hole stickers (H12). Cover the holes on rails (P1, P3, P4) using 6 x small hole stickers (H10).





Job Complete!

In the interest of our environment please dispose of all packaging thoughtfully.