

Version 1.3 Two People

Required



HELPFUL BUNK BED SAFETY TIPS

Bunk beds should be checked periodically to ensure that the guardrail, ladder and other components are secure and in the correct position and all connectors are tight.

We recommend that children under the age of nine (9) do not use the upper bunk. Children should be discouraged from playing on the bunk bed.

No more than one occupant should use the upper bunk at any time (unless otherwise stated).

Bunk beds should be placed a minimum of 2 metres away from any ceiling fans to prevent any injury to the upper bunk occupant.

Looks like you've found your Fantastic!

We're thrilled you've chosen Fantastic Furniture to help create a home you'll love!



Love it? Share it!

Fantastic buy! Share how it looks at home on Instagram for your chance to win a \$250 Fantastic Furniture Gift Card!

@fantasticfurniture



Assembly Checklist



Read through instructions carefully before you begin



Make sure you have all the required tools. Never use power tools unless instructed.



Identify and lay out all of the components before you begin assembly.



Unless Instructed, do not fully tighten screws until the item is fully assembled.

Useful Information

- ! Never use power tools unless specifically instructed. They can damage your components or hardware if used incorrectly.
- ! The most common mistake made during assembly are using the wrong hardware or getting components back to front.
- ! Always use a soft surface (such as carpet or cardboard) when assembling your product to avoid scratching or damaging the surface of the product.
- ! Bulky items such as wardrobes and bunk beds should be assembled in the room they will be used as they may not fit through a door once assembled.
- ! Never use any glue until you are certain that the parts belong together.
- ! Periodically check and re-tighten all fasteners. Check the product care label or website for product care instructions.
- ! If you are having any difficulties assembling your product, missing any hardware or components please visit our website Help Centre for further assistance.
- ! Please see page 2 for any safety requirements or weight restrictions.




What You Need

to assemble the product



Other tools you need



Part list

Box 1:

2 x Lower Posts (P1);

2 x Lower Posts (P2);

2 x Upper Posts (P3);

Upper Post (P4);

Upper Post (P5);

4 x Headboard and Footboard Panels (P6).

Box 2:

Upper Front Side Rail (P7);

Upper Rear Side Rail (P8);

Lower Front Side Rail (P9);

Lower Rear Side Rail (P10);

2 x Upper Front Guard Rails (P11);

2 x Upper Rear Guard Rails (P12);

2 x Guard Rail Supports (P13);

Short Ladder Rail (P15);


Long Ladder Rail (P16);


3 x Ladder Steps (P17).

Box 3:

2 x Sets of Slats (P14).

Hardware Pack





Insert 36 x wood dowels (H6) into the rails as shown by hand or gently using a soft headed mallet.






Lower Post $(P2) \times 2$ Lower Post $(P1) \times 2$ (H10)


Take out $8 \times \text{cushion pads (H10)}$. Remove cushion pads from adhesive stickers and paste

them underneath the lower posts (P1 & P2).

Keep the remaining 8 x cushion pads (H10) for future use.


The cushion pads are required if you wish to convert the bunk to 2 single beds by attaching them underneath the upper bunk posts (P3, P4 & P5).







TWO PEOPLE

Attach the lower posts (P1 & P2) to the lower front side rail (P9) and lower rear side rail (P10) by using 8 x bolts (H2) and 8 x barrel nuts (H7) tightening with the allen key (H9).











TWO PEOPLE



Slot in upper rear side rail (P8) and upper rear guard rails (P12) to the upper post (P3 & P4). Fix 8 x bolts (H2) with 8 x barrel nuts (H7), tightening with the allen key (H9). Do not fully tighten the bolts (H2).

Furniture



Fix the guard rail support (P13) to upper rear side rail (P8) with 2×10^{-2} using the allen key (H9). Do not fully tighten the bolt (H4).


Repeat this process to attach the other guard rail support (P13) to upper front side rail (P7).


Then tighten rear guard rails (P12) with 4×10^{12} wood screws (H5) by aligning the pre-drilled holes on the guard rail support (P13).


Slot front guard rails (P11) to upper post (P3) and fix $2 \times bolts$ (H2) with $2 \times barrel$ nuts (H7), tightening with the allen key (H9).

Tighten front guard rail support (P13) to front guard rails (P11) with 4 x wood screws (H5) by aligning the pre-drilled holes on the guard rail support (P13). Tighten all bolts (H2 & H4) from step 7.

Furniture








Fix the short ladder rail (P15) to the 3×1 ladder steps (P17) by using 3×1 bolts (H3) and 3 x barrel nuts (H7) tightening with the allen key (H9). Fix the long ladder rail (P16) to the 3×1 ladder steps (P17) by using 3×1 bolts (H3) and 3×10^{-10} muts (H7) using the allen key (H9).


Step 12

You will need	
4 x 30mm Bolts (H4)	1 x Allen Key (H9)

Attach the ladder to bunk. Fix the short ladder rail (P15) to the upper front side rail (P7) with 1 x bolt (H4) using the allen key (H9) from inside.


Then fix the long ladder rail (P16) to the upper front side rail (P7) and upper front guard rail (P11) with 3 x bolts (H4) using the allen key (H9) from inside.





Fix the short & long ladder rails (P15 & P16) to the lower front side rail (P9) by using 2×100 key (H9).

TWO PEOPLE



Job Complete!

In the interest of our environment please dispose of all packaging thoughtfully.